

4140 Rod Ends



Rod Ends - 4140, Blank

Drop Forged Alloy Steel, Self-Colored
 Heat-Treated to ASTM A193-B7
 Modified to specifications at additional cost.
 Shank Diameter oversized for cut threading.

(Combination pricing on 4140, Blank Rod Ends)

Stock No.	A Shank Dia. +.060/-0	B Center of Eye to End +.060/-0	H Face Diameter (Nominal)	C Head O.D. +.060/-0	D Head Thickness +.032/-0.015	Weight Lbs.	Price Per Piece				
							1-99	100-249	250-499	500-999	1000+
1AA-B7	1/4	1 1/2	33/64	9/16	9/32	0.03					
1A-B7	1/4	3 1/2	33/64	9/16	9/32	0.06					
1E-B7	1/4	6	33/64	9/16	9/32	0.14					
2AA-B7	5/16	1 1/2	33/64	9/16	11/32	0.06					
2A-B7	5/16	3 1/2	37/64	5/8	11/32	0.10					
2E-B7	5/16	6	37/64	5/8	11/32	0.19					
3A-B7	3/8	3 1/2	11/16	3/4	7/16	0.18					
3AM-B7	3/8	3 1/2	25/32	13/16	3/8	0.18					
3E-B7	3/8	6	11/16	3/4	7/16	0.25					
3EM-B7	3/8	6	25/32	13/16	3/8	0.25					
3J-B7	3/8	12	11/16	3/4	7/16	0.43					
4E-B7	7/16	6	13/16	7/8	1/2	0.33					
4J-B7	7/16	12	13/16	7/8	1/2	0.59					
4J24-B7	7/16	24	13/16	7/8	1/2	1.09					
5A-B7	1/2	3 1/2	29/32	31/32	9/16	0.33					
5AM-B7	1/2	3 1/2	15/16	1 1/32	1/2	0.33					
5E-B7	1/2	6	29/32	31/32	9/16	0.50					
5EM-B7	1/2	6	15/16	1 1/32	1/2	0.50					
5EX-B7	1/2	6	1 3/32	1 3/16	1/2	0.50					
5J-B7	1/2	12	29/32	31/32	9/16	0.75					
5JX-B7	1/2	12	1 3/32	1 3/16	1/2	0.75					
6A-B7	5/8	3 1/2	1 5/32	1 1/4	11/16	0.55					
6AM-B7	5/8	3 1/2	1 7/32	1 5/16	5/8	0.55					
6C-B7	5/8	5	1 5/32	1 1/4	11/16	0.62					
6E-B7	5/8	6	1 5/32	1 1/4	11/16	0.75					
6EM-B7	5/8	6	1 7/32	1 5/16	5/8	0.75					
6J-B7	5/8	12	1 5/32	1 1/4	11/16	1.25					
6J24-B7	5/8	24	1 5/32	1 1/4	11/16	2.38					
7A-B7	3/4	3 1/2	1 3/8	1 1/2	13/16	0.75					
7AM-B7	3/4	3 1/2	1 13/32	1 9/16	3/4	0.75					
7E-B7	3/4	6	1 3/8	1 1/2	13/16	1.10					
7EM-B7	3/4	6	1 13/32	1 9/16	3/4	1.10					
7J-B7	3/4	12	1 3/8	1 1/2	13/16	1.80					
7J24-B7	3/4	24	1 3/8	1 1/2	13/16	3.27					
8E-B7	7/8	6	1 11/16	1 13/16	15/16	1.50					
8EM-B7	7/8	6	1 11/16	1 7/8	7/8	1.50					
8J-B7	7/8	12	1 11/16	1 13/16	15/16	2.60					
8J24-B7	7/8	24	1 11/16	1 13/16	15/16	4.63					
10E-B7	1	6	1 7/8	2 1/32	1 1/16	2.15					
10J-B7	1	12	1 7/8	2 1/32	1 1/16	3.50					
10J24-B7	1	24	1 7/8	2 1/32	1 1/16	6.07					
11J-B7	1 1/8	12	1 29/32	2 1/8	1 3/16	4.17					
11J24-B7	1 1/8	24	1 29/32	2 1/8	1 3/16	7.52					
12J-B7	1 1/4	12	2 7/16	2 5/8	1 5/16	5.65					
12J24-B7	1 1/4	24	2 7/16	2 5/8	1 5/16	9.83					
14J-B7	1 1/2	12	2 7/8	3 3/32	1 1/2	8.25					
14J24-B7	1 1/2	24	2 7/8	3 3/32	1 1/2	14.31					
16J-B7	1 3/4	12	3 1/2	3 21/32	1 3/4	12.84					
16J24-B7	1 3/4	24	3 1/2	3 21/32	1 3/4	21.02					
18J-B7	2	12	3 15/16	4 5/32	2	16.12					
18J24-B7	2	24	3 15/16	4 5/32	2	28.88					
22J14-B7	2 1/2	14	4 25/32	5 1/8	2 1/2	23.03					

